



Lab Test Ordering Guide

GLYCOMARK® Test

The following information is provided as reference for ordering the GlycoMark test, which can be ordered alone, with A1C, or as a reflex test to A1C when within a specified A1C range. For additional information or questions, please contact GlycoMark or the laboratory.







Preferred Laboratories

Laboratory	GLYCOMARK Sample Type	GLYCOMARK Test	A1C with GLYCOMARK®	A1C with Reflex to GLYCOMARK®	A1C Range to Reflex GLYCOMARK®
 ACCU REFERENCE MEDICAL LAB®	SST	GLYM	119 and GLYM	X397	A1C, 6% - 8%
 LENCO DIAGNOSTIC LABORATORY	SST	6115	280 and 6115	-	-

Additional Testing Laboratories

Laboratory	GLYCOMARK Sample Type	GLYCOMARK Test	A1C with GLYCOMARK®	A1C with Reflex to GLYCOMARK®	A1C Range to Reflex GLYCOMARK®
 Accurate Diagnostic Labs	SST	01066	03210 and 01066	03218	A1C, >5.7%
 ARUP LABORATORIES NATIONAL REFERENCE LABORATORY	SST or EDTA	0081335	0070426 and 0081335	-	-
 BioReference LABORATORIES an OPKO Health Company	SST	J114-0	-	J218-9	A1C, ≥7%
 ClevelandHeartLab® Know your risk.	SST or EDTA	C155	C145 and C155	C522	A1C, 6% - 8%
 EAST SIDE CLINICAL LABORATORY A Sonic Healthcare Company	SST or EDTA	7025	1108 and 7025	-	-
 ECL EMPIRE CITY LABORATORIES	SST	542	1542	-	-
 FLORIDA HOSPITAL	SST or EDTA	GMARK	HBA1CX and GMARK	-	-
 INFINITY DIAGNOSTIC LABS	SST or EDTA	-	-	119R	Contact laboratory for range
 LabCorp	SST or EDTA	500115	502226	503205	A1C, 6% - 8%

Additional Testing Laboratories

Laboratory	GLYCOMARK Sample Type	GLYCOMARK Test	A1C with GLYCOMARK*	A1C with Reflex to GLYCOMARK*	A1C Range to Reflex GLYCOMARK*
 Physician Centered. Patient Focused.	SST or EDTA	GLYCO	HA1C and GLYCO	HA1CGM	A1C, 6% - 8%
	SST	2707 or MD DiabeticPro**	-	-	-
	SST or EDTA	19599	496 and 19599	16715	A1C, 6.5% - 8%
 A Subsidiary of Laboratory Sciences of Arizona	SST	902757	9230 and 902757	-	-
 A Sonic Healthcare Company (Mid-Atlantic)	SST or EDTA	E035	S10743	C115	A1C, >5.6%
 A Sonic Healthcare Company (New York)	SST or EDTA	8094	827 and 8094	-	-

If a test code is not listed, please contact the laboratory for more information.

*If ordering A1C with GlycoMark or GlycoMark as a reflex test, submit the required samples for both tests.

**Included as part of a panel.

The GlycoMark test is indicated for use in patients with diabetes.

- 1,5-AG is covered by most federal, state and private payors
- GlycoMark can be ordered without frequency limitations as with A1C
- Diabetes related ICD10 codes are as follows:
 - E08: Diabetes mellitus due to underlying condition
 - E09: Drug or chemical induced diabetes mellitus
 - E10: Type 1 diabetes mellitus
 - E11: Type 2 diabetes mellitus
 - E13: Other specified diabetes mellitus
- Given the significant health risks associated with hyperglycemia, the GlycoMark test is a low-cost, high-value test

For the latest updates on available laboratories and testing information, please contact GLYCOMARK Technical Support at info@glycomark.com or 1-888-744-0221.



The information contained herein is not medical, diagnostic or treatment advice for any particular patient. Physicians should use their clinical judgment and experience when deciding how to diagnose and treat patients and in the use of the GLYCOMARK test in the treatment of the patient. Please refer to the GLYCOMARK product insert for more information.

The GLYCOMARK test is FDA cleared for professional use to provide quantitative measurement of 1,5-anhydroglucitol (1,5-AG) in serum or plasma. The GLYCOMARK test is intended for intermediate-term monitoring of glycemic control in patients with diabetes. It is not intended to be used to diagnose disease or identify patients that will experience complications of diabetes or the likelihood of experiencing complications.

GLYCOMARK, Inc. is the exclusive licensee of the GlycoMark test, trademark and logo. All other trademarks cited herein are the property of their respective owners. © 2019 GLYCOMARK, Inc. All Rights Reserved. M-78-1A2



805 Third Avenue, 17th Floor
New York, NY 10022
1-888-744-0221
info@glycomark.com
www.glycomark.com